



B10 PRO Series

Outdoor Billboard LED Display

Excellent in LEDS

O1


Your First Choice for Billboard

- ◆ Pixel Pitch: 10.66mm
- ◆ LED Lamp: DIP
- ◆ Cabinet Material: Iron



O2

Cabinet Size and Weight



640*960*95mm
22 kg



1280*960*95mm
45 kg

O3

Ultra Narrow One-side Door


It saves maintenance room for structure , and more convenient for maintenance than traditional ones .



O4


Lighter & Thinner

Save Transportation cost ;
Save Installation and structure cost



05

Reliable Quality



Strong and Durable DIP LED Bubbles ;
4 Layers PCB Board Design ;
10 years LED self encapsulation, ensure
consistent product quality.

06

Fully-sealed Module

Module design with fully sealed waterproof kits , make the module and screen
with high degree of protection . The best choice for installation locations with high humidity .



Tradtional naked module

VS



B Series Module

07

Super Energy-Saving LED Billboard


- ◆ Power consumption is 2.5 times lower than Traditional Outdoor LED Billboard ;
- ◆ Save cost on Electricity Bill ;
- ◆ Save cost on Generator and relevant power devices .



08

Ultra High Brightness

Excellent Performance In Strong Direct Sunlight With 8000+nits



Normal SMD 5000-6000nits



8000+ nits

09

Waterproof IP65


IP65 High Protection Grade Enables It To Be Used In Any Outdoor Harsh Environment



10


Smart Cloud Control

Remote Control & Simple Arrangement





11

Specifications



Value	B10 (DIP)
Pixel Pitch (mm)	10.667
Pixel Configuration	30*30
Cabinet Size (W*H*D)	1280*960*95
Net Weight	45kg
Voltage	100 ~ 240
Water Proof	IP65 / IP55
Serviceability	Rear
Power Consumption (Max.Avg.)	440W/m ² 130W/m ²
Viewing Angle (Min 50% Brightness)	120/60
Brightness	8000+cd/m ²
Pixel Density	8790dots/m ²
Conteast Ratio	4000:1
Operating Temperature	-20~55°C
Operating Humidity	10%-90%
Lifetime (Min 50% Brightness)	100,000
Refresh Rate	1200



 Hunan Legida Technology Co.,Ltd

 Mobile: +86 185 6949 2693

 Address: 301-1, Third Floor, C5 Building, HuangJin Industrial Zone, WangCheng Economy Development District, Changsha, China .

 E-mail: legida@legidatech.com

 website: www.legidatech.com